

國立清華大學命題紙

96 學年度 電機領域聯合招生 系(所) _____ 組碩士班入學考試

科目 工程數學 A 科目代碼 9902 共 5 頁第 1 頁 *請在【答案卷卡】內作答


(1)至(9)為選擇題，包含單選及複選型態。完全答對始給分，答錯倒扣該題之 50%。

The temperature distribution $u(x,y,t)$ in a rectangular region $R: \{0 \leq x \leq 2, 0 \leq y \leq 1\}$ is governed by a partial differential equation (PDE): $u_t = \alpha^2(u_{xx} + u_{yy})$, where α is a real constant, and the subscripts t, xx, yy denote partial derivatives $\partial/\partial t, \partial^2/\partial x^2, \partial^2/\partial y^2$, respectively.

(1) (6%) If the three ordinary differential equations (ODEs) derived by separation of variables: $u(x,y,t) = X(x) \cdot Y(y) \cdot T(t)$ are: $X'' + k^2 X = 0$, $Y'' + h^2 Y = 0$, $\dot{T} + \frac{1}{\tau} T = 0$, what is the relation among the three eigenvalues k, h, τ ?

- (A) $k^2 - h^2 = \frac{\alpha^2}{\tau}$; (B) $k^2 + h^2 = \frac{\tau}{\alpha^2}$; (C) $k^2 + h^2 = \frac{\alpha^2}{\tau}$; (D) $k^2 - h^2 = \frac{\alpha^2}{\tau^2}$;
 (E) $k^2 + h^2 = \frac{1}{\tau \alpha^2}$.

(2) (6%) The boundary conditions (BCs) are specified as follows ($u_y \equiv \partial u / \partial y$):




Let the fundamental mode $u_{min}(x,y,t)$ be the solution to the PDE and BCs, which corresponds to the maximum of eigenvalue τ . What is the position $(x_0, y_0) \in R$ where the fundamental mode has peak magnitude, i.e. $|u_{min}(x_0, y_0, t)|$ is maximum at any time t ?

國立清華大學命題紙

96 學年度 電機領域聯合招生 系(所) _____ 組碩士班入學考試

科目 工程數學 A 科目代碼 9902 共 5 頁第 2 頁 *請在【答案卷卡】內作答



- (A) $\left(\frac{1}{2}, 1\right)$; (B) $(1, 1)$; (C) $\left(\frac{3}{2}, 1\right)$; (D) $\left(1, \frac{1}{2}\right)$;
 (E) none of the above.

The idea of d'Alembert's solution is to transform the wave equation into canonical form which can be solved more easily. Similar approaches can be applied to some other cases. Consider the linear first order PDE $u_x + 2u_y + u = 0$.

(3) (8%) which of the following transformations can reduce it to an ODE?

- (A) $\Phi = x + y, \Psi = x - 2y$; (B) $\Phi = x + y, \Psi = 2x - y$;
 (C) $\Phi = x + y, \Psi = x - y$; (D) $\Phi = x + 2y, \Psi = x - y$;
 (E) none of the above.

(4) (8%) solve $u_x + 2u_y + u = 0$ with the condition $u = 1$ when $x + y = 1$.

Calculate $u(x = 2, y = 2) = ?$

- (A) e^{-1} ; (B) e^1 ; (C) $e^{-2/3}$; (D) $e^{2/3}$; (E) none of the above.

國立清華大學命題紙

96 學年度 電機領域聯合招生 系(所) _____ 組碩士班入學考試

科目 工程數學 A 科目代碼 9902 共 _____ 頁第 _____ 頁 *請在【答案卷卡】內作答

(5) (8%) Let A be an n -by- n matrix, and $x \in \mathbb{R}^n$. Please find the correct statements from the following:

(A) $\|x\|_1 \leq n\|x\|_\infty$; (B) $\|x\|_2 > \sqrt{n}\|x\|_\infty$; (C) $\|x\|_\infty \leq \|x\|_2$; (D) $\|Ax\|_\infty > \sqrt{n}\|A\|_2\|x\|_\infty$;

(E) $\frac{1}{\sqrt{n}}\|A\|_2 \leq \|A\|_\infty \leq \sqrt{n}\|A\|_2$

(6) (8%) Evaluate the integral $\int_R e^{-z} dz$ along the path R that is the positive x axis

(from the origin to the point $(\infty, 0)$, where ∞ represents some number approaching infinity). (A) 0 (B) $2\pi j$ (C) 1 (D) $e^{-0.5\pi}$ (E) 0.5π

(7) (10%) Evaluate the integral $\oint_C [z^2 - \operatorname{Re}(z)] dz$ along the path C that is counterclockwise circle with $|z| = 2$.

(A) $-2\pi i$; (B) $-4\pi i$; (C) $2i - 4\pi$; (D) $2 - 4\pi i$; (E) $4 + 2\pi i$.

(8) (10%) $\oint_C \frac{e^{-z}}{\cos 4z} dz =$ (A) $2\pi j e^{-\frac{\pi}{8}}$; (B) 0; (C) $\pi j \sinh(\frac{\pi}{8})$; (D) $2\pi j e^{0.125\pi}$;

(E) $\pi j e^{\frac{\pi}{8}}$

(Here C is the counterclockwise path along the circle centered at the origin with a radius of unity.)

國立清華大學 命題紙

96 學年度 電機領域聯合招生 系(所) _____ 組碩士班入學考試

科目 工程數學 A 科目代碼 9902 共 5 頁第 4 頁 *請在【答案卷卡】內作答

(9) (10%) Pick the correct statements regarding the matrix $A = \begin{bmatrix} -2 & 2 & -3 \\ 2 & 1 & -6 \\ -1 & -2 & 0 \end{bmatrix}$.

(A) There are three sets of linearly independent eigenvectors associating with three

distinct eigenvalues. (B) The determinant of this matrix is 45. (C) $\begin{bmatrix} 2 \\ 1 \\ 0 \end{bmatrix}$ is one of the

eigenvectors. (D) 5 is an eigenvalue. (E) The homogeneous linear system $Ax=0$ has no non-trivial solution.

(10)至(13)為計算題, 請在答案卷上寫出該題之推導過程。

For problems 10 and 11, please write down your work and pick the correct answer codes (ex. A1 x C5) from the list.

(10) (6%) Find the inverse Laplace transform $f(t)$ of $L^{-1}\left\{\frac{(s-1)^n}{s^{n+1}}\right\}$.

ANS : (10-1) × (10-2)

(11) (6%) Suppose : $F(w) = \begin{cases} 1 & |w| \leq W \\ 0 & |w| \geq W \end{cases}$ Find the inverse Fourier transform $f(x)$

ANS : (11-1) × (11-2)

(A1) $\sqrt{\frac{\pi}{2}}$; (A2) $\sqrt{2\pi}$; (A3) $\sqrt{\frac{1}{2\pi}}$; (A4) $\sqrt{\frac{2}{\pi}}W$; (A5) $\frac{W}{\pi}$; (A6) $\frac{W}{2\pi}$; (A7) $2\frac{W}{\pi}$;

(A8) $\sqrt{\frac{1}{2\pi}}W$; (A9) $\sqrt{2\pi}W$; (B1) $x \sin(xW)$; (B2) $\text{sinc}\left(\frac{W}{\pi}x\right)$; (B3) $\text{sinc}(\pi Wx)$;

(B4) $\text{sinc}(Wx)$; (B5) $\sin(xW)$; (C1) $\frac{e^{-2t}}{n!}$; (C2) $\frac{e^{2t}}{n!}$; (C3) $\frac{e^t}{n!}$; (C4) $\frac{e^{-t}}{2n!}$;

(C5) $(-1)^n \frac{d^n}{dt^n}(t^n e^{-t})$; (C6) $\frac{d^n}{dt^n}(t^n e^t)$; (C7) $\frac{d^n}{dt^n}(t^n e^{-t})$; (C8) $(-1)^n \frac{d^n}{dt^n}(t^n e^t)$;

(D1) none of above

國立清華大學命題紙

96學年度 電機領域聯合招生 系(所) _____ 組碩士班入學考試

科目 工程數學 A 科目代碼 9902 共 _____ 頁第 5 頁 *請在【答案卷卡】內作答

(12) (7%) Solve the differential equation: $x^3 \frac{d^3 y}{dx^3} - 5x^2 \frac{d^2 y}{dx^2} + 18x \frac{dy}{dx} - 26y = 0.$

(13) (7%) Solve the differential equation: $x \frac{dy}{dx} + 2y = xy^3.$