

## 國立清華大學 102 學年度碩士班入學考試試題

系所班組別：計量財務金融學系碩士班乙組

考試科目（代碼）：統計學(4503)

共 8 頁，第 1 頁 \*請在【答案卷、卡】作答

選擇題 (每題 6 分)

1. The average number of donuts sold in a donut shop between 8 a.m. and 9 a.m. is 90 with a variance of 25. What is the probability that on a given day the number of donuts sold between 8 a.m. and 9 a.m. is between 75 and 105?
  - A. 0.75
  - B. 0.99
  - C. 0.89
  - D. 0.68
2. It is desired to estimate the average total compensation of CEOs in the Service industry. Data were randomly collected from 18 CEOs and the 97% confidence interval was calculated to be (\$2,181,260, \$5,836,180). Which of the following interpretations is correct?
  - A. 97% of the sampled total compensation values fell between \$2,181,260 and \$5,836,180.
  - B. We are 97% confident that the mean of the sampled CEOs falls in the interval \$2,181,260 to \$5,836,180.
  - C. In the population of Service industry CEOs, 97% of them will have total compensations that fall in the interval \$2,181,260 to \$5,836,180.
  - D. We are 97% confident that the average total compensation of all CEOs in the Service industry falls in the interval \$2,181,260 to \$5,836,180.
3. It is desired to estimate the average total compensation of CEOs in the Service industry. Data were randomly collected from 18 CEOs and the 97% confidence interval was calculated to be (\$2,181,260, \$5,836,180). Based on the interval above, do you believe the average total compensation of CEOs in the Service industry is more than \$3,000,000?
  - A. Yes, and I am 97% confident of it.
  - B. Yes, and I am 78% confident of it.
  - C. I am 97% confident that the average compensation is \$3,000,000.
  - D. I cannot conclude that the average exceeds \$3,000,000 at the 97% confidence level.

## 國立清華大學 102 學年度碩士班入學考試試題

系所班組別：計量財務金融學系碩士班乙組

考試科目（代碼）：統計學(4503)

共 8 頁，第 2 頁 \*請在【答案卷、卡】作答

4. A confidence interval was used to estimate the proportion of statistics students that are female. A random sample of 72 statistics students generated the following 90% confidence interval: (0.438, 0.642). Using the information above, what size sample would be necessary if we wanted to estimate the true proportion to within  $\pm 0.08$  using 95% confidence?
  - A. 105
  - B. 150
  - C. 420
  - D. 597
5. When determining the sample size necessary for estimating the true population mean, which factor is not considered when sampling *with* replacement?
  - A. The population size.
  - B. The population standard deviation.
  - C. The level of confidence desired in the estimate.
  - D. The allowable or tolerable sampling error.
6. A university dean is interested in determining the proportion of students who receive some sort of financial aid. Rather than examine the records for all students, the dean randomly selects 200 students and finds that 118 of them are receiving financial aid. If the dean wanted to estimate the proportion of all students receiving financial aid to within 3% with 99% reliability, how many students would need to be sampled?
  - A.  $n = 1,844$
  - B.  $n = 1,503$
  - C.  $n = 1,784$
  - D.  $n = 1,435$

## 國立清華大學 102 學年度碩士班入學考試試題

系所班組別：計量財務金融學系碩士班乙組

考試科目（代碼）：統計學(4503)

共 8 頁，第 3 頁 \*請在【答案卷、卡】作答

7. The owner of a local nightclub has recently surveyed a random sample of  $n = 250$  customers of the club. She would now like to determine whether or not the mean age of her customers is over 30. If so, she plans to alter the entertainment to appeal to an older crowd. If not, no entertainment changes will be made. Suppose she found that the sample mean was 30.45 years and the sample standard deviation was 5 years. What is the  $p$  value associated with the test statistic?
- A. 0.3577  
B. 0.1423  
C. 0.0780  
D. 0.02
8. Microsoft Excel was used on a set of data involving the number of parasites found on 46 Monarch butterflies captured in Pismo Beach State Park. A biologist wants to know if the mean number of parasites per butterfly is over 20. She will make her decision using a test with a level of significance of 0.10. The following information was extracted from the Microsoft Excel output for the sample of 46 Monarch butterflies:

$n = 46$ ; Arithmetic Mean = 28.00; Standard Deviation = 25.92; Standard Error = 3.82; Null Hypothesis: $H_0 : \mu \leq 20.000$ ; $\alpha = 0.10$ ; $df = 45$ ; $T$ Test Statistic = 2.09; One-Tailed Test Upper Critical Value = 1.3006; $p$ -value = 0.021; Decision = Reject.
--

What is the power of the test if the mean number of parasites per butterfly on Monarch butterflies in Pismo Beach State Park is 18 using a 0.1 level of significance and assuming that the population standard deviation is 25.92.

- A. 0.0355  
B. 0.1423  
C. 0.2315  
D. None of the above

# 國立清華大學 102 學年度碩士班入學考試試題

系所班組別：計量財務金融學系碩士班乙組

考試科目（代碼）：統計學(4503)

共 8 頁，第 4 頁 \*請在【答案卷、卡】作答

9. Referring to the above question (question 7), what is the probability of committing a Type II error if the mean number of parasites per butterfly on Monarch butterflies in Pismo Beach State Park is 24 using a 0.1 level of significance and assuming that the population standard deviation is 25.92.
- A. 0.9645
  - B. 0.7143
  - C. 0.7712
  - D. 0.5929
10. Why would you use the Tukey-Kramer procedure?
- A. To test for normality.
  - B. To test for homogeneity of variance.
  - C. To test independence of errors.
  - D. To test for differences in pairwise means.
11. The director of transportation of a large company is interested in the usage of her van pool. She considers her routes to be divided into local and non-local. She is particularly interested in learning if there is a difference in the proportion of males and females who use the local routes. She takes a sample of a day's riders and finds the following:

	Male	Female	Total
Local	27	44	71
Non-Local	33	25	58
Total	60	69	129

She will use this information to perform a chi-square hypothesis test using a level of significance of 0.05. Is there a difference between the proportion of males and females who ride local versus non-local routes. What is the value of test statistics?

- A. 7.645
- B. 6.356
- C. 5.862
- D. 4.568

# 國立清華大學 102 學年度碩士班入學考試試題

系所班組別：計量財務金融學系碩士班乙組

考試科目（代碼）：統計學(4503)

共 8 頁，第 5 頁 \*請在【答案卷、卡】作答

## 計算題

12. (本題 16 分，每個小題各 8 分) A random variable  $X$  has the probability density function  $f(x)$  as follows:

$$f(x) = \begin{cases} CX^2 & \text{if } 0 < X \leq 2 \\ 1/3 & \text{if } 2 < X \leq 3 \\ 0 & \text{otherwise} \end{cases}$$

where  $C$  is some constant. (Hint: Compute  $C$  first.)

- (a) Find the coefficient of variation for  $X$ .
- (b) Compute the interquantile range for  $X$ .
13. (本題18分) As part of an evaluation program, a sporting goods retailer wanted to compare the downhill coasting speeds of 4 brands of bicycles. She took 5 of each brand and determined their maximum downhill speeds. The results are presented in miles per hour in the table below.

<u>Trial</u>	<u>Barth</u>	<u>Tornado</u>	<u>Reiser</u>	<u>Shaw</u>
1	43	37	41	43
2	46	38	45	45
3	43	39	42	46
4	41	36	45	45
5	43	39	41	43

Test the null hypothesis that the mean and median of the downhill coasting speeds of the 4 brands of bicycles are equal at a 5% significance level.

國立清華大學 102 學年度碩士班入學考試試題

系所班組別：計量財務金融學系碩士班乙組

考試科目（代碼）：統計學(4503)

共\_\_8\_\_頁，第\_\_6\_\_頁 \*請在【答案卷、卡】作答

Tables of the Normal Distribution										
Probability Content from $-\infty$ to Z										
Z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990

國立清華大學 102 學年度碩士班入學考試試題

系所班組別：計量財務金融學系碩士班乙組

考試科目（代碼）：統計學(4503)

共 8 頁，第 7 頁 \*請在【答案卷、卡】作答




TABLE B: t-DISTRIBUTION CRITICAL VALUES

df	Tail probability p											
	.25	.20	.15	.10	.05	.025	.02	.01	.005	.0025	.001	.0005
1	1.000	1.376	1.963	3.078	6.314	12.71	15.89	31.82	63.66	127.3	318.3	636.6
2	.816	1.061	1.386	1.886	2.920	4.303	4.849	6.965	9.925	14.09	22.33	31.60
3	.765	.978	1.250	1.638	2.353	3.182	3.482	4.541	5.841	7.453	10.21	12.92
4	.741	.941	1.190	1.533	2.132	2.776	2.999	3.747	4.604	5.598	7.173	8.610
5	.727	.920	1.156	1.476	2.015	2.571	2.757	3.365	4.032	4.773	5.893	6.869
6	.718	.906	1.134	1.440	1.943	2.447	2.612	3.143	3.707	4.317	5.208	5.959
7	.711	.896	1.119	1.415	1.895	2.365	2.517	2.998	3.499	4.029	4.785	5.408
8	.706	.889	1.108	1.397	1.860	2.306	2.449	2.896	3.355	3.833	4.501	5.041
9	.703	.883	1.100	1.383	1.833	2.262	2.398	2.821	3.250	3.690	4.297	4.781
10	.700	.879	1.093	1.372	1.812	2.228	2.359	2.764	3.169	3.581	4.144	4.587
11	.697	.876	1.088	1.363	1.796	2.201	2.328	2.718	3.106	3.497	4.025	4.437
12	.695	.873	1.083	1.356	1.782	2.179	2.303	2.681	3.055	3.428	3.930	4.318
13	.694	.870	1.079	1.350	1.771	2.160	2.282	2.650	3.012	3.372	3.852	4.221
14	.692	.868	1.076	1.345	1.761	2.145	2.264	2.624	2.977	3.326	3.787	4.140
15	.691	.866	1.074	1.341	1.753	2.131	2.249	2.602	2.947	3.286	3.733	4.073
16	.690	.865	1.071	1.337	1.746	2.120	2.235	2.583	2.921	3.252	3.686	4.015
17	.689	.863	1.069	1.333	1.740	2.110	2.224	2.567	2.898	3.222	3.646	3.965
18	.688	.862	1.067	1.330	1.734	2.101	2.214	2.552	2.878	3.197	3.611	3.922
19	.688	.861	1.066	1.328	1.729	2.093	2.205	2.539	2.861	3.174	3.579	3.883
20	.687	.860	1.064	1.325	1.725	2.086	2.197	2.528	2.845	3.153	3.552	3.850
21	.686	.859	1.063	1.323	1.721	2.080	2.189	2.518	2.831	3.135	3.527	3.819
22	.686	.858	1.061	1.321	1.717	2.074	2.183	2.508	2.819	3.119	3.505	3.792
23	.685	.858	1.060	1.319	1.714	2.069	2.177	2.500	2.807	3.104	3.485	3.768
24	.685	.857	1.059	1.318	1.711	2.064	2.172	2.492	2.797	3.091	3.467	3.745
25	.684	.856	1.058	1.316	1.708	2.060	2.167	2.485	2.787	3.078	3.450	3.725
26	.684	.856	1.058	1.315	1.706	2.056	2.162	2.479	2.779	3.067	3.435	3.707
27	.684	.855	1.057	1.314	1.703	2.052	2.158	2.473	2.771	3.057	3.421	3.690
28	.683	.855	1.056	1.313	1.701	2.048	2.154	2.467	2.763	3.047	3.408	3.674
29	.683	.854	1.055	1.311	1.699	2.045	2.150	2.462	2.756	3.038	3.396	3.659
30	.683	.854	1.055	1.310	1.697	2.042	2.147	2.457	2.750	3.030	3.385	3.646
40	.681	.851	1.050	1.303	1.684	2.021	2.123	2.423	2.704	2.971	3.307	3.551
50	.679	.849	1.047	1.299	1.676	2.009	2.109	2.403	2.678	2.937	3.261	3.496
60	.679	.848	1.045	1.296	1.671	2.000	2.099	2.390	2.660	2.915	3.232	3.460
80	.678	.846	1.043	1.292	1.664	1.990	2.088	2.374	2.639	2.887	3.195	3.416
100	.677	.845	1.042	1.290	1.660	1.984	2.081	2.364	2.626	2.871	3.174	3.390
1000	.675	.842	1.037	1.282	1.646	1.962	2.056	2.330	2.581	2.813	3.098	3.300
∞	.674	.841	1.036	1.282	1.645	1.960	2.054	2.326	2.576	2.807	3.091	3.291

國立清華大學 102 學年度碩士班入學考試試題

系所班組別：計量財務金融學系碩士班乙組

考試科目（代碼）：統計學(4503)

共 8 頁，第 8 頁 \*請在【答案卷、卡】作答

Percentage Points of the Chi-Square Distribution									
Degrees of Freedom	Probability of a larger value of $\chi^2$								
	0.99	0.95	0.90	0.75	0.50	0.25	0.10	0.05	0.01
1	0.000	0.004	0.016	0.102	0.455	1.32	2.71	3.84	6.63
2	0.020	0.103	0.211	0.575	1.386	2.77	4.61	5.99	9.21
3	0.115	0.352	0.584	1.212	2.366	4.11	6.25	7.81	11.34
4	0.297	0.711	1.064	1.923	3.357	5.39	7.78	9.49	13.28
5	0.554	1.145	1.610	2.675	4.351	6.63	9.24	11.07	15.09
6	0.872	1.635	2.204	3.455	5.348	7.84	10.64	12.59	16.81
7	1.239	2.167	2.833	4.255	6.346	9.04	12.02	14.07	18.48
8	1.647	2.733	3.490	5.071	7.344	10.22	13.36	15.51	20.09
9	2.088	3.325	4.168	5.899	8.343	11.39	14.68	16.92	21.67
10	2.558	3.940	4.865	6.737	9.342	12.55	15.99	18.31	23.21
11	3.053	4.575	5.578	7.584	10.341	13.70	17.28	19.68	24.72
12	3.571	5.226	6.304	8.438	11.340	14.85	18.55	21.03	26.22
13	4.107	5.892	7.042	9.299	12.340	15.98	19.81	22.36	27.69
14	4.660	6.571	7.790	10.165	13.339	17.12	21.06	23.68	29.14
15	5.229	7.261	8.547	11.037	14.339	18.25	22.31	25.00	30.58
16	5.812	7.962	9.312	11.912	15.338	19.37	23.54	26.30	32.00
17	6.408	8.672	10.085	12.792	16.338	20.49	24.77	27.59	33.41
18	7.015	9.390	10.865	13.675	17.338	21.60	25.99	28.87	34.80
19	7.633	10.117	11.651	14.562	18.338	22.72	27.20	30.14	36.19
20	8.260	10.851	12.443	15.452	19.337	23.83	28.41	31.41	37.57
22	9.542	12.338	14.041	17.240	21.337	26.04	30.81	33.92	40.29
24	10.856	13.848	15.659	19.037	23.337	28.24	33.20	36.42	42.98
26	12.198	15.379	17.292	20.843	25.336	30.43	35.56	38.89	45.64
28	13.565	16.928	18.939	22.657	27.336	32.62	37.92	41.34	48.28
30	14.953	18.493	20.599	24.478	29.336	34.80	40.26	43.77	50.89
40	22.164	26.509	29.051	33.660	39.335	45.62	51.80	55.76	63.69
50	27.707	34.764	37.689	42.942	49.335	56.33	63.17	67.50	76.15
60	37.485	43.188	46.459	52.294	59.335	66.98	74.40	79.08	88.38